
Live life INSPIRED









Siteworks

CUT & FILL

Allowance included for up to 1m cut and 1m fill.

CLEANING

- Builder's house clean (windows included).
- Building debris only removed from site upon completion.

BUILDING APPLICATION & FEES

Includes the cost of Engineers soil test and structural foundation design, concrete pump, minimum sediment/erosion control, site inspections, contour survey, standard building certification, plumbing and drainage fees, waste levy, PLSLA levy fee, QBCC Insurance, and Contractors All-Risk Insurance.

Possible extra costs not allowed for and to be paid by the owner include, but are not limited to, the following: additional Council requirements, slab/footing piers, retaining walls, soil stabilisation and retention, rock excavation, tree removal, acoustic requirements, bushfire requirements, A.H.D. requirements, and sand/metal pipe bedding (if required by local authority).

CONNECTIONS

Allowance made for connection to services of water, sewerage, stormwater and electricity, including 3 surface water grates.



Sustainability

WATE

- 280 litre heat pump standard (plan specific secondary hot water system to be 170L heat pump).
- All tapware and toilet to meet minimum WELS rating.

INSULATION

- R3.0 Glasswool insulation batts to ceiling
- Reflective foil wrap to external walls.
- R2.0 Glasswool insulation batts to all lightweight walls.
- R2.0 Glasswool insulation batts to all external walls (double storey designs only)
- 2 no. whirlybird roof ventilators
- 60mm Anticon blanket to roofs

Structural

FOUNDATIONS & FLOOR

Engineer's Concrete slab system designed by QLD Soil Testing for "M" soil classification to AS2870 with brick rebate and exposed perimeter edge beam. No stepdown to Garage floor. 23lm allowance for slab/footing piers.

TERMITE TREATMENT

Termite treatment to AS3660.1 (Section 6) including monolithic slab and physical barrier system to service penetrations and perimeter.

FRAMING

H2 classification treated pine wall frames and trusses. Timber walls and ceiling framing lined with 10mm plasterboard.

WIND RATING

Construction methods to suit N2 wind loading as per the Building Code of Australia.



6

Kitchen

Create a luxurious look for your dream kitchen, with a superb selection of classic cabinetry, European appliances, designer tapware and premium finishes.

- Square edge door and drawer fronts with PVC edging and selected door handles from Builders Range.
- Overhead cupboards and microwave provision.
- Laminated Pantry unit (plan specific) (2400mm high) with four (4) shelves (complete with painted bulkheads to ceiling).
- 600mm wide cupboards with White melamine internal linings including one (1) intermediate shelf and a bank of four (4) drawers.
- Plan specific: Laminated pantry unit (2100mm high) with White melamine shelves OR Walk-In Pantry with four (4) White melamine shelves.
- Laminate colours in Polytec Smooth, Sheen, Matt, and Woodmatt finishes.

SPLASH BACK

- Up to 710mm above all benchtops from standard Builders Range.
- Ceramic tiles from Builders Range.
- Fixed Glass Window Splash back plan specific.

- Convenient hassle free water connection to
- Two door laminated 'push to open' overhead cupboards above fridge space for additional storage.





Handmade Italian kitchen appliances

THE CHOICE IS YOURS...





OVEN Ilve Black 60cm multifunction electric oven (ILO60DCBV).



COOKTOP Ilve 60cm inducted cooktop (EI604B).



RANGEHOOD Ilve 60cm undermount rangehood (IVUM60).



OVEN Ilve 90cm electric built in oven (ILO994X).



COOKTOP Ilve 90cm ceramic cooktop (ILCC96B).



RANGEHOOD Ilve 90cm undermount rangehood (IVUM90).



FREESTANDING COOKER 90cm freestanding cooker (V09CSV/SS).



RANGEHOOD Ilve 90cm undermount rangehood (IVUM90).


ALL OPTIONS INCLUDE AN ILVE DISHWASER




DISHWASHER Stainless steel Ilve dishwasher (PILFSD61).

Lithostone benchtops

The preferred choice for many architects and designers, Lithostone benchtops will elevate the look and feel of your new kitchen. Boasting a sophisticated colour palette and choice of textured looks from soft mineral flecks to unique veining, Lithostone benchtops are a luxurious addition to any designer kitchen.



SPECIAL RANGE STONE COLOURS LITHOSTONE ASPRO BIANCO SNOW OSCAR CARRARA LOLA AUSTRALIS CALCUTTA SARA BLACK SKY MARQUINA HAVANA GREY MEGARA GREY CENZA GREY



Kitchen sinks & Sink mixers

Choice of premium Gareth Ashton Sidelever mixers in either Black or Chrome (2K1, 3K2, 3K3, and 3K4).

GARETH ASHTON - MADISON 2K1



GARETH ASHTON - LUCIA SQUARE 3K3



GARETH ASHTON - LUCIA GOOSENECK 3K4





GARETH ASHTON - LUCIA 3K2



PQ200 DOUBLE BOWL OVERMOUNT SINK







Bathroom & Ensuite

Embrace the luxury and opulence of premium fittings and finishes, to create effortless style and beauty for your brand new bathroom and ensuite.

WALL HUNG VANITY

'Lucca' wall hung Builders Range laminate finish or 2 Pac vanity unit with soft close drawer/s and a 20mm thick (from Builders and Special Range stone colours) reconstituted stone bench top with arrised edge profile.

BASINS AND TAPWARE

Tina and Penny above counter basins with a choice of Vela, Poco and Park Avenue (Black or Chrome) basin and bath mixers.

OVER BATH MIRROR

Up to 700mm micro framed mirror extending from vanity over bath as per plan.

VANITY MIRROR

900mm high (nominal) micro framed mirrors to full width of vanity as per plan.

OBSCURE GLASS

To bathroom, ensuite and W.C.

SHOWER SCREEN

Semi frameless shower screen.

WET AREA TILING

Ceramic wall and floor tiles from Builders Range.

BATHROOM / ENSUITE TILING

- Nominal 2000mm to the shower alcove walls.
- 500mm over the bath and one (1) skirting row to the remainder.
- Fully tiled floor.

W.C. TILING

- Nominal 200mm high of skirting tiles.
- Fully tiled floor.

EXHAUST FAN

Standard to W.C. and bathroom where there is no window present.

FLOOR WASTE

Tile insert floor waste.



TOILET ROLL HOLDER

Gareth Ashton Poco Toilet roll holder (Black or Chrome).



DOUBLE TOWEL RAILS

Gareth Ashton Poco Double Towel Rail 760mm (Black or Chrome).




TILE INSERT FLOOR WASTE



TOILET SUITES

Seima Modia wall faced with classic seat.





BATHROOM BATH

1525mm Tondo inset bath to Main, and 1675mm Tondo Island to Ensuite (plan specific).

Bathroom & Ensuite tapware

Choice of premium Gareth Ashton tapware in either Black or Chrome.

VELA BASIN MIXER



POCO BASIN MIXER



PARK AVENUE BASIN MIXER



RAIL SHOWER



VELA SHOWER MIXER



POCO SHOWER MIXER





PARK AVENUE SHOWER MIXER









Laundry

The luxury level of inclusions continues through to the laundry. Meeting the practical needs of you and your family, without sacrificing style.

LAUNDRY CABINET

- 900mm laundry bench with square edge door fronts with PVC Edging, 45L Stainless steel drop in tub and door handles with Stone top (all selected from Builders Range and Special Range). White melamine internal linings including one (1) intermediate shelf.
- Laundry cabinet stone choice between Builders Range and Special Range Lithostone colour range.
- Laminate colours in Polytec Smooth, Matt, Sheen, and Woodmatt finishes.



Choice of

premium laundry

mixers

Storage

Storage spaces have been thoughtfully designed to seamlessly blend with your luxury décor. Choose from a superb selection of colours and finishes to bring it all together beautifully.

WARDROBES

- Aluminum framed sliding doors with mirrored fronts, overhead melamine shelf (White) and hanging rail to all Bedrooms (colours from Builders Range).
- Walk in robe to Bed 1 with Corinthian hinged door (where applicable), overhead melamine shelf (White) and hanging rail.

LINEN CUPBOARD

- Plan specific: Aluminium framed sliding doors with coloured vinyl fronts (colours from Builders Range).
- Four (4) melamine shelves in White.

Photography is for illustrative purposes only and may feature non-standard items that are not included in the Inspire Inclusions Range. Decorative items such as furniture, homewares and some appliances are not included. Pricing, materials, suppliers and specifications may be subject to change without notice. This brochure is a guide only. Please refer to your contract for all final inclusions.

Doors

Set the scene for your new home by choosing the perfect combination of statement entry doors, quality internal doors and sleek, stylish handles from our carefully curated selection.

EXTERNAL DOOR

Corinthian 820mm glazed paint grade front entry door (gloss acrylic) from Inspire Range.

EXTERNAL ENTRY HANDLE

Oxford Touch Plus Entrance Set (Matte Black, Polished Chrome or Satin Chrome).

INTERNAL DOORS


Internal Corinthian flush primed range, Motive range, and Impressions range.

INTERNAL DOOR HANDLES

Avalon internal door handles and deadlocks to garage internal door (Chrome or Matte Black).

DOOR STOPS

Sphere magnetic door stops (PC T0638) to all internal doors.



Electrical

We take care of the finer details, so you don't have to – ensuring that your new home meets the highest electrical standards, complete with a premium selection of lighting, ceiling fans, switches and power points.

INTERNAL LIGHT POINTS

- Energy saver lamps and batten holder fittings Hager Allure accessories throughout in installed to 100% of the floor area
- Ceiling fans with light combination to all bedrooms and living areas (double storey designs only)

EXTERNAL LIGHT POINTS

- Ceiling fan with light combination to alfresco.
- Batten holder and bulb to external of laundry and front door/porch.

EXHAUST FANS

Externally ducted exhaust fans (where required for NCC compliance).

SWITCHES & POWER POINTS

- choice of Matte Black or Matte White.
- Ample double power points throughout.
- One USB power point allowance.

TV POINT

Two (2) television points.

SMOKE DETECTORS

Hardwired smoke detectors throughout (compliant with legislation).

CIRCUIT BREAKERS

Automatic circuit breakers with earth leakage safety switches to meter box.

UNDERGROUND CONNECTION

Underground connection (80-amp single phase) from main supply point to meter box (allowance of 10lm).

NATIONAL BROADBAND NETWORK

NBN pre-wire including one (1) data point and one (1) Network data point.













SEWER

50 lineal metres of sewer drains allowed as standard.

STORMWATER

90 lineal metres of stormwater drains allowed as standard.

COLD WATER

10 lineal metres allowed to connect from existing water meter to house.

GARDEN TAPS

Front and rear garden tap included.

3x coats of paint to all walls

Additional ceiling height

Enjoy additional ceiling space with 2590 high ceiling on single-storey and doublestorey homes (both levels).



















At Hallmark, we appreciate the importance of attention to detail. Premium paintwork and many other high-quality interior inclusions take your home to a new level.

CEILING PAINT

Builders Range flat acrylic in White.

DOORS & WOODWORK PAINT

Gloss acrylic to all internal doors and woodwork.

CEILINGS

Single-storey Double-storey 2590mm ceiling heights 2590mm ceiling heights on ground level and 2590mm ceiling heights on 1st floor

Paint / Carpet Grade (MDF) treads, risers and stringers with Paint grade Newell posts and balustrade with Paint grade handrail and 14mm diameter powder coated (Black) steel balusters.

SKIRTINGS

68mm x 12mm Splayed, Classic, Pencil Round or Double Pencil Round profile (MDF) for painting.

ARCHITRAVES

42mm x 12mm Splayed, Classic, Pencil Round or Double Pencil Round profile (MDF) for painting.

COVE CORNICES

75mm throughout.

Roof, Windows & Garage

Create the ultimate street appeal for your new home with a selection of high-quality external building components and materials, including a contemporary range of Colorbond® steel colours for your roof and garage door.

FASCIA & GUTTER

Colorbond® metal fascia, quad gutter and 90mm round PVC downpipes.

GARAGE DOOR

Modern garage door (choose between: standard, premium or matt colours) utilising all Colorbond® colours (excluding deco wood).

OUTDOOR LIVING

Covered Alfresco slab with brick pier and broom finished concrete.

WINDOWS & SLIDING DOORS

- Powder coated aluminium clear glazed sliding windows and alfresco sliding/stacker door (as applicable). Colours from Builders Range. Locks to all opening windows and sliding/ stacking doors.
- Low E glass to all habitable rooms. (Double storey designs only).

Colorbond® steel roof from Builders Range with 60mm Anticon blanket.

GARAGE DOOR COLOURS







Photography is for illustrative purposes only and may feature non-standard items that are not included in the Inspire Inclusions Range. Decorative items such as furniture, homewares and some appliances are not included. Pricing, materials, suppliers and specifications may be subject to change without notice. This brochure is a guide only. Please refer to your contract for

Walls

INTERNAL WALLS

Internal linings: 1 x 4 lineal metre HardieGroove™ VJ panel feature wall.

WALL PAINT

- One (1) sealer coat, two (2) coats of washable premium acrylic Taubmans Endure to all walls.
- One (1) colour to internal walls allowed, same colour gloss acrylic to all internal doors and woodwork.

EXTERNAL WALLS

Single height clay bricks from Builders Range. Natural ironed mortar joints.

EXTERNAL PAINTING

Gloss acrylic to external woodwork, meter box and downpipes.









Inspire Inclusions

We've made it easy to know exactly what's included in your new home, by listing it all right here for you. If there's anything you're not sure about, just ask our friendly team!

GENERAL

Prices are based on 'M' class fully serviced sites. Includes the cost of Engineers soil test and structural foundation design, concrete pump, minimum sediment/erosion control, site inspections, contour survey, standard building certification, plumbing and drainage fees, waste levy, PLSLA levy fee, QBCC Insurance and Contractors All-Risk Insurance. Construction methods to suit N2 wind loading as per the Building Code of Australia. Allowance included for up to 1m cut and 1m fill. Possible extra costs not allowed for and to be paid by the Owner include, but are not limited to, the following: additional Council requirements, slab/footing piers, retaining walls, soil stabilisation and retention, rock excavation, tree removal, acoustic requirements, bushfire requirements, A.H.D. requirements, and sand/metal pipe bedding (if required by local authority).

ACCESS

Accessibility to the building site is the responsibility of the owner. Any costs incurred by the Builder due to difficult site access, including crane hire and hand carting of materials, to be paid by the owner.

TERMITE TREATMENT

Termite treatment to AS3660.1 (Section 6) including monolithic slab and physical barrier system to service penetrations and perimeter.

FOUNDATIONS & FLOOR

Engineer's Concrete slab system designed by QLD Soil Testing for "M" soil classification to AS2870 with brick rebate and exposed perimeter edge beam. No stepdown to Garage floor. 23lm allowance for slab/footing piers.

EXTERNAL WALLS

Single height clay bricks from Builders Range. Natural ironed mortar joints.

INTERNAL WALLS

H2 classification treated pine wall frames and trusses. Timber walls and ceiling framing lined with 10mm plasterboard.

CEILING HEIGHTS

Single-storey 2590mm ceiling heights.

Double-storey 2590mm ceiling heights on ground level and 2590mm ceiling heights on 1st floor.

STAIRS

Paint / Carpet Grade (MDF) treads, risers and stringers with Paint grade Newell posts and balustrade with Paint grade handrail and 14mm diameter powder coated (Black) steel balusters.

INSULATION

R3.0 Glasswool insulation batts to ceiling. Reflective foil wrap to external walls. R2.0 Glasswool insulation batts to all lightweight walls. R2.0 Glasswool insulation batts to all external walls (double storey designs only)

FASCIA & GUTTER

Colorbond® metal fascia, quad gutter and 90mm round PVC downpipes.

HIP ROOF

Colorbond® steel roof from Builders Range with 60mm Anticon blanket at 23.5° pitch with 450mm wide eaves. 2 no. whirlybird roof ventilators.

WINDOW AND SLIDING DOORS

Powder coated aluminium clear glazed sliding windows and patio sliding/ stacker doors (as applicable). Colours from builders range. Locks to all opening windows and sliding doors. Low E Glass to all habitable rooms (double storey designs only).

MOULDINGS

68mm x 12mm Splayed, Classic, Pencil Round or Double Pencil Round profile (MDF) for painting.

42mm x 12mm Splayed, Classic, Pencil Round or Double Pencil Round profile (MDF) for painting.

DOORS

Internal Internal Corinthian flush primed range, Motive range, and

Impressions range.

External Corinthian 820mm wide glazed paint grade front entry door

from Inspire Range.

DOOR FURNITURE

Avalon internal door handles and deadlocks to garage Internal internal door - Matte Chrome or Matte Black

External

Lane Oxford Touch Plus Entrance Set - Matte Black, Polished Chrome or Satin Chrome.

Deadlocks to garage internal door (Chrome or Matte Black). Garage

KITCHEN FITTINGS

Cupboards

Square edge door and drawer fronts with PVC edging and selected door handles (from Builders Range). 600mm wide cupboard with overhead cupboards. White melamine internal linings including one (1) intermediate shelf and a bank four (4) drawers. A microwave space provision. Pantry unit with White melamine shelves OR Walk-In Pantry with four (4) White melamine shelves (plan specific). Laminate colours in Polytec Smooth, Sheen, Matt. and Woodmatt finishes.

Fridge Space Two door laminated 'push to open' overhead cupboards

above fridge space for additional storage.

Pantry Shelves Laminated Pantry unit (plan specific) (2400mm high) with four (4) shelves (complete with painted bulkheads to ceiling).

Choose from Builders Range and Special Range Lithostone Benchtops

Option 1 - 20mm thick reconstituted stone (from Builders Range and Special Range) with a reconstituted stone waterfall gable with Mitred Joint (up to 2 gables - maximum

820mm wide)

Option 2 - 40mm thick reconstituted stone on Island bench (up to 820mm wide from Builders Range and Special Range) with 20mm thick reconstituted stone (from Builders Range)

A choice of quality PQ200 double bowl undermount

Choice of Premium Gareth Ashton Square Sidelever Mixer -

Black or Chrome (2K1, 3K2, 3K3 and 3K4).

KITCHEN APPLIANCES

Ilve Black 60cm multifunction electric oven (ILO60DCBV),

Ilve 60cm inducted cooktop (EI604B), Ilve 60cm undermount rangehood (IVUM60) and stainless steel Ilve

dishwasher (PII FSD1).

Ilve 90cm electric built in oven (ILO994X), Ilve 90cm ceramic Option 2

cooktop (ILCC96B) and Ilve 90cm undermount rangehood (IVUM90) and stainless steel Ilve dishwasher (PILFSD61).

Ilve 90cm Free standing dual fuel oven (V09CSV/SS) and Ilve Option 3

90cm undermount rangehood (IVUM90), and stainless steel

Ilve dishwasher (PILFSD61).



BATHROOM & ENSUITE FITTINGS

1525mm Tondo inset bath to Main, and 1675mm Tondo

Island to Ensuite (plan specific).

Rail Shower - Main Bathroom & Ensuite Gareth Ashton rail **Shower Screen** shower (SRA06) (Black or Chrome). Semi Frameless shower

'Lucca' wall hung Builders Range laminate finish or 2 Pac vanity unit with soft close drawer/s and a 20mm thick (from Builders and Special Range stone colours) reconstituted stone bench top with arrised edge profile.

Choice of Premium Gareth Ashton tapware in either Black or Chrome, Basin Mixer - Vela Basin, Poco Basin, Park Avenue Basin, Shower Mixer - Vela Shower, Poco Shower, Park Avenue Shower. Bath mixer and Spout - Vella, Poco, Park Avenue.

900mm high (nominal) micro framed mirrors to full width of

vanity as per plan.

Towel Rails Gareth Ashton Poco Double Towel Rail - Black or Chrome.

W.C. FITTINGS

Seima Modia wall faced with classic seat - White. Toilet Suites

Toilet Roll

Gareth Ashton Poco toilet roll holder - Black or Chrome.

LAUNDRY FITTINGS

900mm laundry bench with square edge door fronts with PVC Edging, 45L Stainless steel drop in tub and door handles with Stone top (all selected from Builders Range and Special Range colours). White melamine internal linings including one (1) intermediate shelf.

Laundry cabinet stone: Choice of standard and special selection Lithostone colour range.

Laminate colours: Laminate colours in Polytec Smooth, Matt. Sheen, and Woodmatt finishes.

Choice of Premium Gareth Ashton Square Sidelever Mixer -

Black or Chrome (2K1, 3K2, 3K3 and 3K4).

TILING

Ceramic wall and floor tiles from Builders Range. Wet area

Up to 710mm above all benchtops. Floor tiles NOT included. Kitchen

Nominal 2000mm to the shower alcove walls. 500mm over Bathroom/ the bath and one (1) skirting row the remainder. Fnsuite

Fully tiled floor.

Up to 600mm over the benchtop and one (1) skirting tile to Laundry

remainder. Fully tiled floor

Nominal 200mm high skirting tiles. Fully tiled floor. W.C.

WARDROBES

Aluminium framed sliding doors with mirrored fronts, overhead melamine shelf (White) and hanging rail to all bedrooms (colours from Builders Range). Walk-in robe to Bedroom 1 with Corinthian hinged door (where applicable), overhead melamine shelf (White) and hanging rail.

LINEN CUPBOARD

Aluminium framed sliding doors with coloured vinyl fronts (colours from Builders Range) and four (4) melamine shelves in White (where applicable).

INTERNAL LININGS

1 x 4LM VJ panel feature wall.

HOT WATER SERVICE

Heat pump (280 litre) (plan specific secondary hot water system to be 170L heat pump).

PLUMBING & DRAINAGE

Cold Water

10 lineal metres allowed to connect from existing water meter to house. Front and rear garden tap included.

50 lineal metres of sewer drains allowed as standard. Sewer

90 lineal metres of stormwater drains allowed as standard. Stormwater

ELECTRICAL

Ample light points and double power points throughout, including one (1) Hager USB integrated Power point. Energy saver lamps and batten holder fittings installed to 100% of the floor area. Two (2) TV points. Automatic circuit breakers with earth leakage safety switches to meter box. Hager Allure accessories throughout in choice of Matte Black or Matte White. Underground connection (80-amp single phase) from main supply point to meter box (allowance of 10lm). Smoke detectors to government requirements. Ceiling fan with light combination to alfresco. Ceiling fans with light combination to all bedrooms and living rooms (double storey designs only).

NATIONAL BROADBAND NETWORK

NBN pre-wire including one (1) data point and one (1) network data point.

PAINTING

External

Gloss acrylic to external woodwork, meter box and downpipes.

Internal

Builders Range flat acrylic in White to ceilings. One (1) sealer coat, two (2) coats of washable premium acrylic Taubmans Endure to all walls. One (1) colour to internal walls as standard. Same colour gloss acrylic to all internal doors and

GARAGE DOOR

Modern garage door (choose between - standard, premium or matt colours) utilising all Colorbond colours (excluding deco wood).

CLEANING

Builder's house clean (windows included). Building debris only removed from site on completion.

IMPORTANT NOTE: Prices exclude the cost of floor coverings, curtains or blinds, light fittings, prints, decorator items, painted feature walls, feature tiling to wet areas, tiling to living areas, patios and front porches, timber balustrades, decorative posts and external bagging/rendering and painting to remainder of homes, fencing, retaining walks, landscaping, waterin systems, paving, pergolas, air conditioning, additional telephone or data points, security alarms, water tanks and on-site sewage treatment systems unless specified by way of variation. Inclusions may vary according to your chosen home design. The Company reserves the right to alter its plans, specifications and prices without notice. QBCC Licence 23846.

Suppliers

We're proud to work alongside many of Australia's most trusted brands and suppliers, to deliver a quality home you'll be proud to call your own.























































we are here for you


Your home is at the heart of everything you do.

It's where you celebrate life, love and togetherness. It's also where you kick back, relax and soak up the sunshine with friends and family.

You need a builder who has your best interests at heart. From helping you choose the perfect design to handing over the keys to your dream home, our friendly team will be here to support you every step of the way.

That's the Hallmark way.

HALLMARKHOMES.COM.AU 1300 326 515



Where the heart is